

Dany Authorise



| Indication | Ind

♥ <u>Data Language Standards: Commo</u>	s. Data Language Standards: Detailed scope : CK Standards	requests in the CX Standards for information on merged language Technical Standards	
ata Cluster language	Permission language	Payloads (relevant fields)	Authorisation scope
ame, occupation, contact details #	Nut surfaced to consumer	data custament/lype The Type of outstamer object that is present person (conditions)	common trustomer detail read
	Not surfaced to consumer	taxXipdateRime (spoince) The date and time that any data in this record was last updated by the customer, if no update has occurred then this date should reflect the initial readion date for the data.	
	Name	fixXName (uptional) For people with single names this field need not be present. The single name should be in the latitizate field.	
		laxiName For people with single names the single name should be in this field.	
		middletsanes Field is mandatory but array may be empty	
		prefix (sprional) Also known as tide or salutation. The prefix to the same (e.g. Mr, Mrs, Mrs, Miss, Siz, etc.)	
		suffix (sprione). Used for a trailing suffix to the name (x.g. yr)	
	Occupation	occupationCode (sprions) Occupation code as defined by the ANZSCO v1.2 Standard Classification of Occupations	
		accupationCodeVersion, pseuditional The applicable <u>Interest</u> ; interest we recons of the accupation code proaded. Manadatory if an accupationCode is supplied if accupationCode is supplied but accupationCodeversion is allower; default in ANDECO, 22280, 218 1,17 1,17	
	Phone	Personation 1. The control of the co	
	Simali address	machindresses May be entirely adoptional May be to find for one and only one email record in the collection. Devices the first shall be adopted in the collection. Devices the shall be available to the proper proper for any other and the statut and the customer for any other and the statut and the customer for any other and the statut and the statut and the Address	
	Mail address	physician/Adversaria physician/Adversaria best (the set of sign for enging if the valid additionant a set best (the set of sign for addition resign for the purpose of \$450,000 for a first of sign and set of sign for a first of \$450,000 for a first of sign and sign for a first of sign for enging the sign of additional addition in the sign of sign and additional addition in the sign of additional addition of additional additional addition in the sign of additional additional additional additional additional additional particular additional disposition for additional additional additional additional sign of additional additional additional additional additional additional sign of additional additional additional additional additional additional sign of additional additio	


	map to payloads. Refer to CX Standards on <u>Custo</u>		
CX Standards Data Cluster language Permission language		Technical Standards Payloads (relevant fields) Authorisation scape	
Organisation profile *	Mat surflexed to consumer	data castamentifyga The type of outstoner object that is present organization productional	common swittener basic read
	Most toe found to contourner	lastApplisteTime typicinol) The date and stree that any data in the crecord was last updated by the customer. If no update has occurred then this date should reflect the initial creation date for the data.	
	Agent name and rule	agentFirePlante (sprions) The first name of the included providing access on behalf of the organization. For people with single names this field need not be present. The single name thould be in the agent activance field.	
		against setName The last name of the individual providing access on behalf of the organization. For people with single names the single name should be in this field.	
		agastitute The rate of the individual identified as the agent who is providing authorization, supertied to be used for display default to "unspecified" if the rate is not known.	
	Organisation name	businesMame Name of the organisation	
		legalitame (uplicad) Legali name, if different to the business name	
		sharsName (sprious): Most came used for communication, if different to the business statue.	
	Organisation numbers (NIN or ACN)?	also (optional) Australian Business Number for the organization	
		#48.hydonol) Australian Company Number for the organisation. Required only if an ACN is applicable for the organisation type	
	Charity status	NACINCRegistered systemal) True if registered with the ACINC, False if not, Absent or rull if not confirmed.	
	bodustry	IndustryCode (spriorus) A valid <u>Nation</u> , code for the organization, if the industry code held by the data blade is not one of the supported <u>Addition</u> wereass, then it must not be supplied.	
		IndustryCodeVersion.y.conditional) The applicable <u>states</u> release version of the industry code provided, Mostal and the couplined if and using clothe is also couplined. If industryCode is anaptive that industryCodeVersion is absent, default is ANNIASE_278EL_278EL_278EL.	
	Organisation type	organizationType Legal organization type	
	Country of registration	registered/country (uptional) finance atom with values 6 son (60 2166 Alpha-Ecountry codes. Assumed to be AUS Eabsace	
	Establishment date	establishmentbase (sprionor) The date the organisation described was established	

ata Cluster language	Permission language		
		Payloads (relevant fields)	Authorisation scope
rganisation contact details *	Organisation address Mail address	popularished events and the articular color records. Clark, and the popularished events are stated and substances. These must the articular color records and only one, second only the event the purpose of distribution. Burst or substances are substances and articular to the color of the col	common customer desait read
	Phone number	See Autour World Man #10.	

	Phone number	See Subsex 20ork Plan. #50.		
*: Refer to <u>Data Language Standards Co</u>				
ee Data Language Standards: Common	Data Language Standards: Detailed scope reques	in the CX Standards for information on merged language		
	payloads. Refer to CX Standards on <u>Customer Lang</u>			
CX Standards		Technical Standards		
Data Cluster language Organisation profile and contact details	Permission language	Payloads (relevant fields)	Authorisation scope	
oguanes provi de contac sense	Not surfaced to consumer	data customershype The type of outsimer object that is present organisation (conditional)	common customer detail rea	
	Mat surflexed to consumer	textipidatefiline (optional) The date and time that any data in this record was last updated by the outcomer. If no update has occurred then this date should reflect the initial creation date for the data.		
	Agent name and rule	agentFirstName (spriors) The first name of the individual providing access on behalf of the originalization. For people with single names this field need not be present. The single name should be in the agents activate field.		
		agentiathame The list name of the individual providing access on behalf of the organization. For people with single names the single name should be in this field.		
		agasetale The role of the individual identified as the agent who is providing authorization. Superted to be used for display default to "unspecified" if the role is not known.		
	Organisation name	businessName Name of the organisation		
		legalName (uptions) Legal name, if different to the business name		
		sharsName (uptional) short name used for communication, if different to the business same		
	Organisation numbers (NIN or ACN)?	abn (optional) Australian Business Number for the organization		
		ace/sprional) Australian Company Number for the organization, Required only if an ACN is applicable for the organization type		
	Charity status	NACNCRegistered (spicional) True if registered with the ACNC. False if not. Absent or null if not confirmed.		
	Industry	IndustryCode (options): A usid <u>nature</u> code for the organization, if the industry code held by the <u>Extanabode</u> is not one of the supported <u>invition</u> versions, then it must not be supplied.		
		IndustryCodeVersion.conditional The applicable options delicate version of the industry code provided. Should only be explicited in industry code as also supplied. If industryCode is supplied but industryCodeVersion is absent, debuilt in ANSENCY_CODE_STOREST. IndustryCodeVersion. The applicable option of the industry CodeVersion is absent, debuilt in ANSENCY_CODE_STOR		
	Organization type	organizationType Legal organization type		
	Country of registration	registered country (spriorus) Enumeration with values from the 3166 Alpha-B country codes. Assumed to be AZS if absent		
	Strablishment date	establishmentbase (sycionol) The date the organisation described was established		
	Organisation address	physicial disease. As a rough of all deviews. There must be at least one recited. Cros, and only one, record rough love the purpose of Miscontiffeed. Deview or were, and as in more than one, record in many beam the purpose of Miscontiffeed. If we or then the MISCONTIFIED address is to be used for mail. Addressing the more disease of the record of the region of address in the record of the right of address in the record of the record		
	Mail address	Autoraliar address forwards according to the file fluenze defined by the pair file fluenze. purpose formercoin divalues indicating the purpose of the physical address.		
	Phone number	See Future 2004 Plan #10		

implifie	d.	
du		
	Authorisation scope	
	communicationer basicread	
oted by uid		
The holder of given		
dis		
g, Mir,		
n code. 'the L		
code absert,		

Account data



	use #175 for more details on data language o	referenced in isolation. Proposed Technical Standa	erds
Data Cluster language	Permission language	Payloads (relevant fields)	Authorisation scope
Account and plan details	Fees, famores, cores, and discusses	procedured instituted the control of	teks accounts, decailed yea
	Additional account were	And in the Control and control	
	Disability products and services	Assumed to be covered under 'plant', (plant's environ' and 'plant'essil'	

lco Accounts (detailed - m		equents in the CX Standards for information on merged lar	guage.
Proces	ed CX Standards	Proposed Technical Stands	rris.
ata Cluster language	Permission language	Payloads (relevant fields)	Authorisation scape
count and plan details +	Not surficed to consumer	data	teicuaccounts.detailed.read
ccount and prain details 9			United States of the States of
	Account and plan information	The ID of the account. To be created in accordance with CDR ID	
	Numbers associated with your services (e.g. mobile, internet)?	permanence requirements	
		accountNumber (conditions) Masked identifier of the account as defined by the data holder.	
		This must be the value presented on physical statements (required if it exists) and must not be used for the value of the	
		accounted.	
		displayName (spriore) An optional display name for the account if one exists or can	
		data holder	
		The date that the account was created or opened. Mandatory if	
		operátatus is OPEN	
		Sectifydated (sprionel) The date and time which the account was last updated.	
		brand (sprinne)	
		The retail name of the brand	
		openitatus (sprional) Open or closed status for the account. If not present OPEN is	
		assumed.	
		plans The array of plans containing service and associated plan.	
		details pidenama instinct	
		Optional display name for the plan provided by the customer to help-differentiate multiple plans	
		Type (typicana) The type of the pion	
		senicetés	
		As array of conviceld's representing a unique convice identifier cuch as a mobile (MSSDN) or internet convice	
		(e.g.NBN or ADSL) if there are no convicelds allocated to this plan then an empty array would be expected	
		plant/verview (continue) Mandatory if continues is OPEN	
		displayName (sprions): The name of the plan if one mists	
		startifiate The start date of the applicability of this plan.	
		endbate (sprional) The end-date of the applicability of this plan	
	Fees, features, rates, and discounts	plan0etail (confidence)	
	744,1444,144,444,444	Detail on the plan applicable to this account. Mandatory if openious is OPIN	
		charges (unional)	
		Charges included in the plan displayName	
		Display name of the charge description (sprional)	
		Description of the charge minimum titules	
		Minimum value of the charge if the charge is a cange or the also lide value of the charge if no	
		range is specified maximum/dalase (sprionol)	
		The upper limit of the charge if the charge could occur in a come	
		period (spriess)	
		The charges that occur on a schedule indicates the frequency. Formatted according to 350 950 s	
		Ducations (excludes recurrence syntax)	
	Additional account users	authorisedContacts (uprions) An array of additional contacts that are authorised to act on	
		this account firstName (unlocal)	
		For people with single names this field need not be present. The single name should be in the last hand faid.	
		lastName for people with single names should be in this field.	
		middleNames (spronol)	
		Field is mandatory but array may be empty prefix (options))	
		Also known as title of salutation. The prefix to the name (e.g.Mr, Min, Min, Mios, Sir, etc)	
		suffix (springs) Used for a valing suffix to the name (e.g., y)	
	Disability products and services	Cowend under 'plan' and 'planbeas'	

Proposed CX Standards		Proposed Technical Standards	
lata Cluster language	Permission language	Payloads (relevant fields)	Authorisation scope
oncessions and assistance	Not supliced to consumer.	data concretions Analytic empty if no concretions with	telcu accounts concessions read
	Concession type	type	
	Concression information	The concession type dissipations	
		The display name of the concession additional lefts outcout	
		Display and providing more information on the concession	
		additional efects (pyrional) Optional link to additional information regarding the concession	
		startbox	
		Start date for the application of the concession enditate surrices?	
		Optional end date for the application of the concession	
		discount/requency (conditional) Conditional attribute for frequency at which a concession is applied.	
		Required if took is FOSID AMOUNT or FOSID PARCENTAGE.	
		Formatted according to <u>600 Mich Durations</u> (excludes recurrence systax)	
		amount (conditions) Conditional attribute for the amount of discount for the concession-	
		required if type is RISID_MADUM!	
		percentage (conditional) Conditional attribute for the serventage of discount of concession—	
		required if type is RISID_PERCENTRGE	
		appliedfa (uptions) Arou of SNEM's rate of what the concession applies to Multiple	
		ENDM values can be provided. If abover USASS is assumed.	

	roposed CX Standards	Proposed Technical Stands	
Data Cluster language	Permission language	Payloads (relevant fields)	Authorisation scope
Payment preferences	Not surfaced to consumer.	data paymentichedules Array may be empty if no payment schedule exist.	telco-accounts payments the dule re
	Payment and billing frequency Any scheduled payment details	amount (options) Optional payment amount indicating that a constant payment amount is scheduled to be paid (used in bill smoothing scenarios)	
		paymenticheduleUType The type of object present in this response	
		contrible produces of payments region and cord payment cheaks. Mandatory of payments cheaked place is not so calibrate contributed in the payment of the payments of the type of contributed in the source of the foregoing of the payments and cours. Formated according to a man to manual, include recurrency strategy and the payments of the payments to the contributed payments are source is calibrated (SIME, AMARIES or SCALIBRATE).	
		described, common of the control of	
		agambales controlled graphical and the second of the seco	
		Research grames (conditional) Represents a manufappartet sith-side where the customer pays is response to a delivered conserver. Mandatory if payments shadoling is not to ranavallary ment build responsely. The frequency with which a bill will be issued. Formatted according to according to the condition of products recurrence system.	

Account data: Payments

Billing and usage data						
See <u>draft Telco APIs</u> for additional details.		together. Some fields and descriptions have been simplified. r proposed order.				
Proposed CK Standards Proposed Technical Standards						
Data Cluster language	Permission language	Payloads (relevant fields)	Authorisation scope			
Billing payments and history	Billing Invoice (Set Invoices for Telco Account)		telca:billing:read			

