

Regression report

Date: 2024-07-22 Time: 09-57-29

Summary report

Module	Total testcases	Passed	Failed
mgmt_servers	14	14	0

Testcase Complete Summary: Total: 14, Passed: 14, Failed: 0

Detailed report of mgmt_servers

Testcase summary: Total: 14, Passed: 14, Failed: 0

Testcase name	Status	User Input	Commands	Before	After	Module exception
test_case_01.1	Passed	<pre> Input: { "rest": { "api_timeout": 120, "client_auth": "password", "log_level": 6, "port": 443, "read_timeout": 60, "req_limit": 100, "security_profile": "profile1", "shutdown": false, "vrf": "mgmt" }, "telemetry": { "api_timeout": 45, "client_auth": "jwt", "jwt_refresh": 80, "jwt_valid": 300, "log_level": 10, "port": 1234, "security_profile": "profile2", "vrf": "mgmt" } } </pre>	<pre> Commands: [{ "rest": { "api_timeout": 120, "client_auth": "password", "log_level": 6, "port": 443, "read_timeout": 60, "req_limit": 100, "security_profile": "profile1", "shutdown": false, "vrf": "mgmt" }, "state": "merged", "telemetry": { "api_timeout": 45, "client_auth": "jwt", "jwt_refresh": 80, "jwt_valid": 300, "log_level": 10, "port": 1234, "security_profile": "profile2", "vrf": "mgmt" } }] </pre>	<pre> Before: {} </pre>	<pre> After: { "rest": { "api_timeout": 120, "client_auth": "password", "log_level": 6, "port": 443, "read_timeout": 60, "req_limit": 100, "security_profile": "profile1", "shutdown": false, "vrf": "mgmt" }, "telemetry": { "api_timeout": 45, "client_auth": "jwt", "jwt_refresh": 80, "jwt_valid": 300, "log_level": 10, "port": 1234, "security_profile": "profile2", "vrf": "mgmt" } } </pre>	Error: "No Error"
test_case_01.2	Passed	<pre> Input: { "rest": { "api_timeout": 120, "client_auth": "password", "log_level": 6, "port": 443, "read_timeout": 60, "req_limit": 100, "security_profile": "profile1", "shutdown": false, "vrf": "mgmt" }, "telemetry": { "api_timeout": 45, "client_auth": "jwt", "jwt_refresh": 80, "jwt_valid": 300, "log_level": 10, "port": 1234, "security_profile": "profile2", "vrf": "mgmt" } } </pre>	<pre> Commands: [] </pre>	<pre> Before: { "rest": { "api_timeout": 120, "client_auth": "password", "log_level": 6, "port": 443, "read_timeout": 60, "req_limit": 100, "security_profile": "profile1", "shutdown": false, "vrf": "mgmt" }, "telemetry": { "api_timeout": 45, "client_auth": "jwt", "jwt_refresh": 80, "jwt_valid": 300, "log_level": 10, "port": 1234, "security_profile": "profile2", "vrf": "mgmt" } } </pre>	After: "Not defined"	Error: "No Error"
test_case_02.1	Passed	<pre> Input: { "rest": { "api_timeout": 240, "client_auth": "none", "log_level": 12, "read_timeout": 65, "req_limit": 150, "security_profile": "profile2" }, "telemetry": { "api_timeout": 90, "client_auth": "jwt,password", "jwt_refresh": 160, "jwt_valid": 600, "log_level": 20, "port": 5678, "security_profile": "profile1" } } </pre>	<pre> Commands: [{ "rest": { "api_timeout": 240, "client_auth": "none", "log_level": 12, "read_timeout": 65, "req_limit": 150, "security_profile": "profile2" }, "state": "merged", "telemetry": { "api_timeout": 90, "client_auth": "jwt,password", "jwt_refresh": 160, "jwt_valid": 600, "log_level": 20, "port": 5678, "security_profile": "profile1" } }] </pre>	<pre> Before: { "rest": { "api_timeout": 120, "client_auth": "password", "log_level": 6, "port": 443, "read_timeout": 60, "req_limit": 100, "security_profile": "profile1", "shutdown": false, "vrf": "mgmt" }, "telemetry": { "api_timeout": 45, "client_auth": "jwt", "jwt_refresh": 80, "jwt_valid": 300, "log_level": 10, "port": 1234, "security_profile": "profile2", "vrf": "mgmt" } } </pre>	<pre> After: { "rest": { "api_timeout": 240, "client_auth": "none", "log_level": 12, "port": 443, "read_timeout": 65, "req_limit": 150, "security_profile": "profile2", "shutdown": false, "vrf": "mgmt" }, "telemetry": { "api_timeout": 90, "client_auth": "jwt,password", "jwt_refresh": 160, "jwt_valid": 600, "log_level": 20, "port": 5678, "security_profile": "profile1", "vrf": "mgmt" } } </pre>	Error: "No Error"
test_case_02.2	Passed	<pre> Input: { "rest": { "api_timeout": 240, "client_auth": "none", "log_level": 12, "read_timeout": 65, "req_limit": 150, "security_profile": "profile2" }, "telemetry": { "api_timeout": 90, "client_auth": "jwt,password", "jwt_refresh": 160, "jwt_valid": 600, "log_level": 20, "port": 5678, "security_profile": "profile1" } } </pre>	<pre> Commands: [] </pre>	<pre> Before: { "rest": { "api_timeout": 240, "client_auth": "none", "log_level": 12, "port": 443, "read_timeout": 65, "req_limit": 150, "security_profile": "profile2", "shutdown": false, "vrf": "mgmt" }, "telemetry": { "api_timeout": 90, "client_auth": "jwt,password", "jwt_refresh": 160, "jwt_valid": 600, "log_level": 20, "port": 5678, "security_profile": "profile1", "vrf": "mgmt" } } </pre>	After: "Not defined"	Error: "No Error"
test_case_03.1	Passed	<pre> Input: { "rest": { "log_level": 24, "api_timeout": 130, "req_limit": 500 }, "telemetry": { "jwt_valid": 800, "log_level": 25, "port": 9876, "security_profile": "profile1" } } </pre>	<pre> Commands: [{ "rest": { "api_timeout": 240, "client_auth": "none", "log_level": 12, "port": 443, "read_timeout": 65, "req_limit": 150, "security_profile": "profile2", "shutdown": false, "vrf": "mgmt" } }] </pre>	<pre> Before: { "rest": { "api_timeout": 240, "client_auth": "none", "log_level": 12, "port": 443, "read_timeout": 65, "req_limit": 150, "security_profile": "profile2", "shutdown": false, "vrf": "mgmt" }, } </pre>	<pre> After: { "rest": { "api_timeout": 900, "client_auth": "password,jwt", "log_level": 24, "port": 443, "read_timeout": 130, "req_limit": 500 }, "telemetry": { "api_timeout": 0, "client_auth": "password,jwt", } </pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
		} }	<pre>}, "state": "deleted", "telemetry": { "api_timeout": 90, "client_auth": "jwt,password", "jwt_refresh": 160, "jwt_valid": 600, "log_level": 20, "port": 5678, "security_profile": "profile1", "vrf": "mgmt" }, }, { "rest": { "api_timeout": 900, "client_auth": "password,jwt", "log_level": 24, "port": 443, "read_timeout": 130, "req_limit": 500 }, "state": "replaced", "telemetry": { "api_timeout": 0, "client_auth": "password,jwt", "jwt_refresh": 900, "jwt_valid": 800, "log_level": 25, "port": 9876, "security_profile": "profile1" } } }</pre>	<pre>"telemetry": { "api_timeout": 90, "client_auth": "jwt,password", "jwt_refresh": 160, "jwt_valid": 600, "log_level": 20, "port": 5678, "security_profile": "profile1", "vrf": "mgmt" } }</pre>	<pre>"jwt_refresh": 900, "jwt_valid": 800, "log_level": 25, "port": 9876, "security_profile": "profile1" }</pre>	
test_case_03.2	Passed	<pre>Input: { "rest": { "log_level": 24, "read_timeout": 130, "req_limit": 500 }, "telemetry": { "jwt_valid": 800, "log_level": 25, "port": 9876, "security_profile": "profile1" } }</pre>	Commands: []	<pre>Before: { "rest": { "api_timeout": 900, "client_auth": "password,jwt", "log_level": 24, "port": 443, "read_timeout": 130, "req_limit": 500 }, "telemetry": { "api_timeout": 0, "client_auth": "password,jwt", "jwt_refresh": 900, "jwt_valid": 800, "log_level": 25, "port": 9876, "security_profile": "profile1" } }</pre>	After: "Not defined"	Error: "No Error"
test_case_04.1	Passed	<pre>Input: { "rest": { "api_timeout": 120, "client_auth": "password", "log_level": 6, "port": 443, "read_timeout": 60, "req_limit": 100, "security_profile": "profile1", "shutdown": false, "vrf": "mgmt" }, "telemetry": { "api_timeout": 45, "client_auth": "jwt", "jwt_refresh": 80, "jwt_valid": 300, "log_level": 10, "port": 1234, "security_profile": "profile2", "vrf": "mgmt" } }</pre>	<pre>Commands: [{ "rest": { "log_level": 24, "read_timeout": 130, "req_limit": 500 }, "state": "deleted", "telemetry": { "api_timeout": 900, "client_auth": "password,jwt", "jwt_refresh": 160, "jwt_valid": 600, "log_level": 20, "port": 5678, "security_profile": "profile1" } }, { "rest": { "api_timeout": 120, "client_auth": "password", "log_level": 6, "port": 443, "read_timeout": 60, "req_limit": 100, "security_profile": "profile1", "shutdown": false, "vrf": "mgmt" }, "state": "overridden", "telemetry": { "api_timeout": 45, "client_auth": "jwt", "jwt_refresh": 80, "jwt_valid": 300, "log_level": 10, "port": 1234, "security_profile": "profile2", "vrf": "mgmt" } }]</pre>	<pre>Before: { "rest": { "api_timeout": 900, "client_auth": "password,jwt", "log_level": 24, "port": 443, "read_timeout": 130, "req_limit": 500 }, "telemetry": { "api_timeout": 0, "client_auth": "password,jwt", "jwt_refresh": 900, "jwt_valid": 800, "log_level": 25, "port": 9876, "security_profile": "profile1" } }</pre>	<pre>After: { "rest": { "api_timeout": 120, "client_auth": "password", "log_level": 6, "port": 443, "read_timeout": 60, "req_limit": 100, "security_profile": "profile1", "shutdown": false, "vrf": "mgmt" }, "telemetry": { "api_timeout": 45, "client_auth": "jwt", "jwt_refresh": 80, "jwt_valid": 300, "log_level": 10, "port": 1234, "security_profile": "profile2", "vrf": "mgmt" } }</pre>	Error: "No Error"
test_case_04.2	Passed	<pre>Input: { "rest": { "api_timeout": 120, "client_auth": "password", "log_level": 6, "port": 443, "read_timeout": 60, "req_limit": 100, "security_profile": "profile1", "shutdown": false, "vrf": "mgmt" }, "telemetry": { "api_timeout": 45, "client_auth": "jwt", "jwt_refresh": 80, "jwt_valid": 300, "log_level": 10, "port": 1234, "security_profile": "profile2", "vrf": "mgmt" } }</pre>	Commands: []	<pre>Before: { "rest": { "api_timeout": 120, "client_auth": "password", "log_level": 6, "port": 443, "read_timeout": 60, "req_limit": 100, "security_profile": "profile1", "shutdown": false, "vrf": "mgmt" }, "telemetry": { "api_timeout": 45, "client_auth": "jwt", "jwt_refresh": 80, "jwt_valid": 300, "log_level": 10, "port": 1234, "security_profile": "profile2", "vrf": "mgmt" } }</pre>	After: "Not defined"	Error: "No Error"
test_case_05.1	Passed	<pre>Input: { "rest": { "api_timeout": 120, "client_auth": "password", "log_level": 6, "port": 443, "read_timeout": 60, "req_limit": 100, "security_profile": "profile1", "shutdown": false, "vrf": "mgmt" }, "telemetry": { "api_timeout": 45, "client_auth": "jwt", "jwt_refresh": 80, "jwt_valid": 300, "log_level": 10, "port": 1234, "security_profile": "profile2", "vrf": "mgmt" } }</pre>	<pre>Commands: [{ "rest": { "api_timeout": 120, "client_auth": "password", "log_level": 6, "port": 443, "read_timeout": 60, "req_limit": 100, "security_profile": "profile1", "shutdown": false, "vrf": "mgmt" }, "state": "deleted", "telemetry": { "api_timeout": 45, "client_auth": "jwt", "jwt_refresh": 80, "jwt_valid": 300, "log_level": 10, "port": 1234, "security_profile": "profile2", "vrf": "mgmt" } }]</pre>	<pre>Before: { "rest": { "api_timeout": 120, "client_auth": "password", "log_level": 6, "port": 443, "read_timeout": 60, "req_limit": 100, "security_profile": "profile1", "shutdown": false, "vrf": "mgmt" }, "telemetry": { "api_timeout": 45, "client_auth": "jwt", "jwt_refresh": 80, "jwt_valid": 300, "log_level": 10, "port": 1234, "security_profile": "profile2", "vrf": "mgmt" } }</pre>	<pre>After: { "rest": { "api_timeout": 900, "client_auth": "password,jwt", "log_level": 0, "port": 443, "read_timeout": 15 } }</pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
test_case_05.2	Passed	<pre>Input: { "rest": { "api_timeout": 120, "client_auth": "password", "log_level": 6, "port": 443, "read_timeout": 60, "req_limit": 100, "security_profile": "profile1", "shutdown": false, "vrf": "mgmt" }, "telemetry": { "api_timeout": 45, "client_auth": "jwt", "jwt_refresh": 80, "jwt_valid": 300, "log_level": 10, "port": 1234, "security_profile": "profile2", "vrf": "mgmt" } }</pre>	<pre>Commands: []</pre>	<pre>Before: { "rest": { "api_timeout": 900, "client_auth": "password, jwt", "log_level": 0, "port": 443, "read_timeout": 15 } }</pre>	<pre>After: "Not defined"</pre>	<pre>Error: "No Error"</pre>
test_case_06.1	Passed	<pre>Input: { "rest": { "api_timeout": 120, "client_auth": "password", "log_level": 6, "port": 443, "read_timeout": 60, "req_limit": 100, "security_profile": "profile1", "shutdown": false, "vrf": "mgmt" }, "telemetry": { "api_timeout": 45, "client_auth": "jwt", "jwt_refresh": 80, "jwt_valid": 300, "log_level": 10, "port": 1234, "security_profile": "profile2", "vrf": "mgmt" } }</pre>	<pre>Commands: [{ "rest": { "api_timeout": 120, "client_auth": "password", "log_level": 6, "read_timeout": 60, "req_limit": 100, "security_profile": "profile1", "shutdown": false, "vrf": "mgmt" }, "state": "merged", "telemetry": { "api_timeout": 45, "client_auth": "jwt", "jwt_refresh": 80, "jwt_valid": 300, "log_level": 10, "port": 1234, "security_profile": "profile2", "vrf": "mgmt" } }]</pre>	<pre>Before: { "rest": { "api_timeout": 900, "client_auth": "password, jwt", "log_level": 0, "port": 443, "read_timeout": 15 } }</pre>	<pre>After: { "rest": { "api_timeout": 120, "client_auth": "password", "log_level": 6, "port": 443, "read_timeout": 60, "req_limit": 100, "security_profile": "profile1", "shutdown": false, "vrf": "mgmt" }, "telemetry": { "api_timeout": 45, "client_auth": "jwt", "jwt_refresh": 80, "jwt_valid": 300, "log_level": 10, "port": 1234, "security_profile": "profile2", "vrf": "mgmt" } }</pre>	<pre>Error: "No Error"</pre>
test_case_06.2	Passed	<pre>Input: { "rest": { "api_timeout": 120, "client_auth": "password", "log_level": 6, "port": 443, "read_timeout": 60, "req_limit": 100, "security_profile": "profile1", "shutdown": false, "vrf": "mgmt" }, "telemetry": { "api_timeout": 45, "client_auth": "jwt", "jwt_refresh": 80, "jwt_valid": 300, "log_level": 10, "port": 1234, "security_profile": "profile2", "vrf": "mgmt" } }</pre>	<pre>Commands: []</pre>	<pre>Before: { "rest": { "api_timeout": 120, "client_auth": "password", "log_level": 6, "port": 443, "read_timeout": 60, "req_limit": 100, "security_profile": "profile1", "shutdown": false, "vrf": "mgmt" }, "telemetry": { "api_timeout": 45, "client_auth": "jwt", "jwt_refresh": 80, "jwt_valid": 300, "log_level": 10, "port": 1234, "security_profile": "profile2", "vrf": "mgmt" } }</pre>	<pre>After: "Not defined"</pre>	<pre>Error: "No Error"</pre>
test_case_07.1	Passed	<pre>Input: {}</pre>	<pre>Commands: [{ "rest": { "api_timeout": 120, "client_auth": "password", "log_level": 6, "read_timeout": 60, "req_limit": 100, "security_profile": "profile1", "shutdown": false, "vrf": "mgmt" }, "state": "deleted", "telemetry": { "api_timeout": 45, "client_auth": "jwt", "jwt_refresh": 80, "jwt_valid": 300, "log_level": 10, "port": 1234, "security_profile": "profile2", "vrf": "mgmt" } }]</pre>	<pre>Before: { "rest": { "api_timeout": 120, "client_auth": "password", "log_level": 6, "port": 443, "read_timeout": 60, "req_limit": 100, "security_profile": "profile1", "shutdown": false, "vrf": "mgmt" }, "telemetry": { "api_timeout": 45, "client_auth": "jwt", "jwt_refresh": 80, "jwt_valid": 300, "log_level": 10, "port": 1234, "security_profile": "profile2", "vrf": "mgmt" } }</pre>	<pre>After: {}</pre>	<pre>Error: "No Error"</pre>
test_case_07.2	Passed	<pre>Input: {}</pre>	<pre>Commands: []</pre>	<pre>Before: {}</pre>	<pre>After: "Not defined"</pre>	<pre>Error: "No Error"</pre>

Testcase Complete Summary: Total: 14, Passed: 14, Failed: 0