

Regression report

Date: 2024-07-23 Time: 14-56-54

Summary report

Module	Total testcases	Passed	Failed
aaa	14	14	0

Testcase Complete Summary: Total: 14, Passed: 14, Failed: 0

Detailed report of aaa

Testcase summary: Total: 14, Passed: 14, Failed: 0

Testcase name	Status	User Input	Commands	Before	After	Module exception
test_case_01.1	Passed	<pre> Input: { "authentication": { "auth_method": ["local", "ldap", "radius", "tacacs+"], "console_auth_local": true, "failthrough": true }, "authorization": { "commands_auth_method": ["local", "tacacs+"], "login_auth_method": ["local", "ldap"] }, "name_service": { "group": ["ldap", "local", "login"], "netgroup": ["ldap", "local"], "passwd": ["ldap", "local", "login"], "shadow": ["ldap", "local", "login"], "sudoers": ["ldap", "local"] } } </pre>	<pre> Commands: [{ "authentication": { "auth_method": ["local", "ldap", "radius", "tacacs+"], "console_auth_local": true, "failthrough": true }, "authorization": { "commands_auth_method": ["local", "tacacs+"], "login_auth_method": ["local", "ldap"] } }, { "name_service": { "group": ["ldap", "local", "login"], "netgroup": ["ldap", "local"], "passwd": ["ldap", "local", "login"], "shadow": ["ldap", "local", "login"], "sudoers": ["ldap", "local"] } }], "state": "merged" } </pre>	<pre> Before: {} </pre>	<pre> After: { "authentication": { "auth_method": ["local", "ldap", "radius", "tacacs+"], "console_auth_local": true, "failthrough": true }, "authorization": { "commands_auth_method": ["local", "tacacs+"], "login_auth_method": ["local", "ldap"] }, "name_service": { "group": ["ldap", "local", "login"], "netgroup": ["ldap", "local"], "passwd": ["ldap", "local", "login"], "shadow": ["ldap", "local", "login"], "sudoers": ["ldap", "local"] } } </pre>	Error: "No Error"
test_case_01.2	Passed	<pre> Input: { "authentication": { "auth_method": ["local", "ldap", "radius", "tacacs+"], "console_auth_local": true, "failthrough": true }, "authorization": { "commands_auth_method": ["local", "tacacs+"], "login_auth_method": ["local", "ldap"] }, "name_service": { "group": ["ldap", "local", "login"], "netgroup": ["ldap", "local"], "passwd": ["ldap", "local", "login"], "shadow": ["ldap", "local", "login"], "sudoers": ["ldap", "local"] } } </pre>	<pre> Commands: [] </pre>	<pre> Before: { "authentication": { "auth_method": ["local", "ldap", "radius", "tacacs+"], "console_auth_local": true, "failthrough": true }, "authorization": { "commands_auth_method": ["local", "tacacs+"], "login_auth_method": ["local", "ldap"] }, "name_service": { "group": ["ldap", "local", "login"], "netgroup": ["ldap", "local"], "passwd": ["ldap", "local", "login"], "shadow": ["ldap", "local", "login"], "sudoers": ["ldap", "local"] } } </pre>	After: "Not defined"	Error: "No Error"
test_case_02.1	Passed	<pre> Input: { "authentication": { "auth_method": ["local", "tacacs+", "ldap", </pre>	<pre> Commands: [{ "authentication": { "auth_method": ["local", "tacacs+", </pre>	<pre> Before: { "authentication": { "auth_method": ["local", "ldap", "radius", </pre>	<pre> After: { "authentication": { "auth_method": ["local", "tacacs+", "ldap", </pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
		<pre> "radius"], "console_auth_local": false, "failthrough": false }, "authorization": { "commands_auth_method": ["tacacs+", "local"], "login_auth_method": ["ldap", "local"] }, "name_service": { "group": ["local", "local", "login"], "netgroup": ["ldap"], "passwd": ["login"], "shadow": ["login", "local", "ldap"], "sudoers": ["local"] } } </pre>	<pre> "ldap", "radius"], "console_auth_local": false, "failthrough": false }, "authorization": { "commands_auth_method": ["tacacs+", "local"], "login_auth_method": ["ldap", "local"] }, "name_service": { "group": ["local", "local", "login"], "netgroup": ["ldap"], "passwd": ["login"], "shadow": ["login", "local", "ldap"], "sudoers": ["local"] }, "state": "merged" } } </pre>	<pre> "tacacs+"], "console_auth_local": true, "failthrough": true }, "authorization": { "commands_auth_method": ["local", "tacacs+"], "login_auth_method": ["local", "ldap"] }, "name_service": { "group": ["ldap", "local", "login"], "netgroup": ["ldap", "local"], "passwd": ["ldap", "local", "login"], "shadow": ["ldap", "local", "login"], "sudoers": ["ldap", "local", "login"] } } </pre>	<pre> "radius"], "console_auth_local": false, "failthrough": false }, "authorization": { "commands_auth_method": ["tacacs+", "local"], "login_auth_method": ["ldap", "local"] }, "name_service": { "group": ["local", "local", "login"], "netgroup": ["ldap"], "passwd": ["login"], "shadow": ["login", "local", "ldap"], "sudoers": ["local"] } } </pre>	
test_case_02.2	Passed	<pre> Input: { "authentication": { "auth_method": ["local", "tacacs+", "ldap", "radius"] }, "console_auth_local": false, "failthrough": false }, "authorization": { "commands_auth_method": ["tacacs+", "local"], "login_auth_method": ["ldap", "local"] }, "name_service": { "group": ["local", "local", "login"], "netgroup": ["ldap"], "passwd": ["login"], "shadow": ["login", "local", "ldap"], "sudoers": ["local"] } } </pre>	Commands: []	<pre> Before: { "authentication": { "auth_method": ["local", "tacacs+", "ldap", "radius"] }, "console_auth_local": false, "failthrough": false }, "authorization": { "commands_auth_method": ["tacacs+", "local"], "login_auth_method": ["ldap", "local"] }, "name_service": { "group": ["local", "local", "login"], "netgroup": ["ldap"], "passwd": ["login"], "shadow": ["login", "local", "ldap"], "sudoers": ["local"] } } </pre>	After: "Not defined"	Error: "No Error"
test_case_03.1	Passed	<pre> Input: { "authentication": { "console_auth_local": true }, "authorization": { "login_auth_method": ["local"] }, "name_service": { "group": ["login"] } } </pre>	<pre> Commands: [{ "authentication": { "auth_method": ["local", "tacacs+", "ldap", "radius"] }, "console_auth_local": false, "failthrough": false }, "authorization": { "commands_auth_method": ["tacacs+", "local"], "login_auth_method": ["ldap", "local"] }, "name_service": { "group": ["local", "local", "login"], "netgroup": ["ldap"], "passwd": ["login"], "shadow": ["login", "local", "ldap"], "sudoers": ["local"] }, "state": "deleted" }, { "authentication": { "console_auth_local": true }, "authorization": { "login_auth_method": ["local"] }, "name_service": { "group": ["login"] } } </pre>	<pre> Before: { "authentication": { "auth_method": ["local", "tacacs+", "ldap", "radius"] }, "console_auth_local": false, "failthrough": false }, "authorization": { "commands_auth_method": ["tacacs+", "local"], "login_auth_method": ["ldap", "local"] }, "name_service": { "group": ["local", "local", "login"], "netgroup": ["ldap"], "passwd": ["login"], "shadow": ["login", "local", "ldap"], "sudoers": ["local"] } } </pre>	<pre> After: { "authentication": { "console_auth_local": true }, "authorization": { "login_auth_method": ["local"] }, "name_service": { "group": ["login"] } } </pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
			<pre> }, "state": "replaced" } }] } </pre>			
test_case_03.2	Passed	<pre> Input: { "authentication": { "console_auth_local": true }, "authorization": { "login_auth_method": ["local"] }, "name_service": { "group": ["login"] } } </pre>	<pre> Commands: [] </pre>	<pre> Before: { "authentication": { "console_auth_local": true }, "authorization": { "login_auth_method": ["local"] }, "name_service": { "group": ["login"] } } </pre>	After: "Not defined"	Error: "No Error"
test_case_04.1	Passed	<pre> Input: { "authentication": { "auth_method": ["local", "ldap", "radius", "tacacs+"], "console_auth_local": true, "failthrough": true }, "authorization": { "commands_auth_method": ["local", "tacacs+"], "login_auth_method": ["local", "ldap"] }, "name_service": { "group": ["ldap", "local", "login"], "netgroup": ["ldap", "local"], "passwd": ["ldap", "local", "login"], "shadow": ["ldap", "local", "login"], "sudoers": ["ldap", "local"] } } </pre>	<pre> Commands: [{ "authentication": { "console_auth_local": true }, "authorization": { "login_auth_method": ["local"] }, "name_service": { "group": ["login"] }, "state": "deleted" }, { "authentication": { "auth_method": ["local", "ldap", "radius", "tacacs+"], "console_auth_local": true, "failthrough": true }, "authorization": { "commands_auth_method": ["local", "tacacs+"], "login_auth_method": ["local", "ldap"] }, "name_service": { "group": ["ldap", "local", "login"], "netgroup": ["ldap", "local"], "passwd": ["ldap", "local", "login"], "shadow": ["ldap", "local", "login"], "sudoers": ["ldap", "local"] }, "state": "overridden" }] </pre>	<pre> Before: { "authentication": { "console_auth_local": true }, "authorization": { "login_auth_method": ["local"] }, "name_service": { "group": ["login"] } } </pre>	<pre> After: { "authentication": { "auth_method": ["local", "ldap", "radius", "tacacs+"], "console_auth_local": true, "failthrough": true }, "authorization": { "commands_auth_method": ["local", "tacacs+"], "login_auth_method": ["local", "ldap"] }, "name_service": { "group": ["ldap", "local", "login"], "netgroup": ["ldap", "local"], "passwd": ["ldap", "local", "login"], "shadow": ["ldap", "local", "login"], "sudoers": ["ldap", "local"] } } </pre>	Error: "No Error"
test_case_04.2	Passed	<pre> Input: { "authentication": { "auth_method": ["local", "ldap", "radius", "tacacs+"], "console_auth_local": true, "failthrough": true }, "authorization": { "commands_auth_method": ["local", "tacacs+"], "login_auth_method": ["local", "ldap"] }, "name_service": { "group": ["ldap", "local", "login"], "netgroup": ["ldap", "local"], "passwd": ["ldap", "local", "login"], "shadow": ["ldap", "local", "login"], "sudoers": ["ldap", "local"] } } </pre>	<pre> Commands: [] </pre>	<pre> Before: { "authentication": { "auth_method": ["local", "ldap", "radius", "tacacs+"], "console_auth_local": true, "failthrough": true }, "authorization": { "commands_auth_method": ["local", "tacacs+"], "login_auth_method": ["local", "ldap"] }, "name_service": { "group": ["ldap", "local", "login"], "netgroup": ["ldap", "local"], "passwd": ["ldap", "local", "login"], "shadow": ["ldap", "local", "login"], "sudoers": ["ldap", "local"] } } </pre>	After: "Not defined"	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
test_case_05.1	Passed	<pre> Input: { "authentication": { "auth_method": ["local", "ldap", "radius", "tacacs+"], "console_auth_local": true, "failthrough": true }, "authorization": { "commands_auth_method": ["local", "tacacs+"], "login_auth_method": ["local", "ldap"] }, "name_service": { "group": ["ldap", "local", "login"], "netgroup": ["ldap", "local"], "passwd": ["ldap", "local", "login"], "shadow": ["ldap", "local", "login"], "sudoers": ["ldap", "local"] } } </pre>	<pre> Commands: [{ "authentication": { "auth_method": ["local", "ldap", "radius", "tacacs+"], "console_auth_local": true, "failthrough": true }, "authorization": { "commands_auth_method": ["local", "tacacs+"], "login_auth_method": ["local", "ldap"] } }, "name_service": { "group": ["ldap", "local", "login"], "netgroup": ["ldap", "local"], "passwd": ["ldap", "local", "login"], "shadow": ["ldap", "local", "login"], "sudoers": ["ldap", "local"] }], "state": "deleted" } </pre>	<pre> Before: { "authentication": { "auth_method": ["local", "ldap", "radius", "tacacs+"], "console_auth_local": true, "failthrough": true }, "authorization": { "commands_auth_method": ["local", "tacacs+"], "login_auth_method": ["local", "ldap"] }, "name_service": { "group": ["ldap", "local", "login"], "netgroup": ["ldap", "local"], "passwd": ["ldap", "local", "login"], "shadow": ["ldap", "local", "login"], "sudoers": ["ldap", "local"] } } </pre>	<pre> After: { "authentication": { "console_auth_local": false } } </pre>	Error: "No Error"
test_case_05.2	Passed	<pre> Input: { "authentication": { "auth_method": ["local", "ldap", "radius", "tacacs+"], "console_auth_local": true, "failthrough": true }, "authorization": { "commands_auth_method": ["local", "tacacs+"], "login_auth_method": ["local", "ldap"] }, "name_service": { "group": ["ldap", "local", "login"], "netgroup": ["ldap", "local"], "passwd": ["ldap", "local", "login"], "shadow": ["ldap", "local", "login"], "sudoers": ["ldap", "local"] } } </pre>	<pre> Commands: [] </pre>	<pre> Before: { "authentication": { "console_auth_local": false } } </pre>	After: "Not defined"	Error: "No Error"
test_case_06.1	Passed	<pre> Input: { "authentication": { "auth_method": ["local", "tacacs+", "ldap", "radius"], "console_auth_local": false, "failthrough": false }, "authorization": { "commands_auth_method": ["tacacs+", "local"], "login_auth_method": ["ldap", "local"] }, "name_service": { "group": ["ldap", "local", "login"], "netgroup": ["ldap", "local"], "passwd": ["ldap", "local", "login"], "shadow": ["ldap", "local", "login"], "sudoers": ["ldap", "local"] } } </pre>	<pre> Commands: [{ "authentication": { "auth_method": ["local", "tacacs+", "radius"], "failthrough": false }, "authorization": { "commands_auth_method": ["tacacs+", "local"], "login_auth_method": ["ldap", "local"] } }, "name_service": { "group": ["ldap", "local", "login"], "netgroup": ["ldap", "local"], "passwd": ["ldap", "local", "login"], "shadow": ["ldap", "local", "login"], "sudoers": ["ldap", "local"] }] </pre>	<pre> Before: { "authentication": { "console_auth_local": false } } </pre>	<pre> After: { "authentication": { "auth_method": ["local", "tacacs+", "ldap", "radius"], "console_auth_local": false, "failthrough": false }, "authorization": { "commands_auth_method": ["tacacs+", "local"], "login_auth_method": ["ldap", "local"] }, "name_service": { "group": ["ldap", "local", "login"], "netgroup": ["ldap", "local"], "passwd": ["ldap", "local", "login"], "shadow": ["ldap", "local", "login"], "sudoers": ["ldap", "local"] } } </pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
		<pre> "ldap", "local" } } } </pre>	<pre> "ldap", "local" } }, "state": "merged" } } } </pre>		<pre> "ldap", "local" } } } </pre>	
test_case_06.2	Passed	<pre> Input: { "authentication": { "auth_method": ["local", "tacacs+", "ldap", "radius"], "console_auth_local": false, "failthrough": false }, "authorization": { "commands_auth_method": ["tacacs+", "local"], "login_auth_method": ["ldap", "local"] }, "name_service": { "group": ["ldap", "local", "login"], "netgroup": ["ldap", "local"], "passwd": ["ldap", "local", "login"], "shadow": ["ldap", "local", "login"], "sudoers": ["ldap", "local"] } } </pre>	<pre> Commands: [] </pre>	<pre> Before: { "authentication": { "auth_method": ["local", "tacacs+", "ldap", "radius"], "console_auth_local": false, "failthrough": false }, "authorization": { "commands_auth_method": ["tacacs+", "local"], "login_auth_method": ["ldap", "local"] }, "name_service": { "group": ["ldap", "local", "login"], "netgroup": ["ldap", "local"], "passwd": ["ldap", "local", "login"], "shadow": ["ldap", "local", "login"], "sudoers": ["ldap", "local"] } } </pre>	<pre> After: "Not defined" </pre>	<pre> Error: "No Error" </pre>
test_case_07.1	Passed	<pre> Input: {} </pre>	<pre> Commands: [{ "authentication": { "auth_method": ["local", "tacacs+", "ldap", "radius"], "console_auth_local": false, "failthrough": false }, "authorization": { "commands_auth_method": ["tacacs+", "local"], "login_auth_method": ["ldap", "local"] }, "name_service": { "group": ["ldap", "local", "login"], "netgroup": ["ldap", "local"], "passwd": ["ldap", "local", "login"], "shadow": ["ldap", "local", "login"], "sudoers": ["ldap", "local"] } }, "state": "deleted" }] </pre>	<pre> Before: { "authentication": { "auth_method": ["local", "tacacs+", "ldap", "radius"], "console_auth_local": false, "failthrough": false }, "authorization": { "commands_auth_method": ["tacacs+", "local"], "login_auth_method": ["ldap", "local"] }, "name_service": { "group": ["ldap", "local", "login"], "netgroup": ["ldap", "local"], "passwd": ["ldap", "local", "login"], "shadow": ["ldap", "local", "login"], "sudoers": ["ldap", "local"] } } </pre>	<pre> After: {} </pre>	<pre> Error: "No Error" </pre>
test_case_07.2	Passed	<pre> Input: {} </pre>	<pre> Commands: [] </pre>	<pre> Before: {} </pre>	<pre> After: "Not defined" </pre>	<pre> Error: "No Error" </pre>

Testcase Complete Summary: Total: 14, Passed: 14, Failed: 0