
























Yearly Carbon Flux Time Series



Yearly Wildfire Flux Time Series





Yearly Nitrogen Flux Time Series



Available N Soil Profile

baseline

ice & ice changed






Available N density (g/m³)

Organic N Soil Profile

baseline



ice & ice changed



Total Soil Carbon Profile

baseline

ice & ice changed




Soil C density (kg/m³)


50
40
30
20
10
0

Environmental Annual Profile

baseline




liq & ice changed




TLAYER

Environmental Seasonal Profile - past 10 yrs

baseline




liq & ice changed




TLAYER

Environmental Annual Profile

baseline




liq & ice changed




WVCLAYER

Environmental Seasonal Profile - past 10 yrs

baseline



liq & ice changed




0.6
0.5
0.4
0.3
0.2
0.1



WVCLAYER

EET Seasonal Pattern

baseline





veg & ice changed



GPP Seasonal Pattern


baseline

veg & ice changed




LAI Seasonal Pattern

baseline




liq & ice changed





PET Seasonal Pattern

baseline




liq & ice changed





RHSOM Seasonal Pattern

baseline






tip & ice changed



SNOWTHICK Seasonal Pattern


baseline

Ice & Ice changed




TRANSPIRATION Seasonal Pattern

baseline




liq & ice changed




year

WATERTAB Seasonal Pattern










baseline









high & ice changed








Yearly Carbon Stock Time Series



Yearly Nitrogen Stock Time Series






Yearly Burned C, N Stock in Time series



Vegetation dynamic (seasonal maximum)

baseline

iq & ice changed



Vegetation dynamic (seasonal maximum)

baseline

no & ice changed

