

```
Last login: Tue Apr 16 11:31:52 on ttys000
giorivMbookpPro:~ giovannirivera$ cd Desktop/sweetalert
giorivMbookpPro:sweetalert giovannirivera$ npm install har-validator
npm WARN rm not removing /Users/giovannirivera/Desktop/sweetalert/
node_modules/.bin/gulp as it wasn't installed by /Users/
giovannirivera/Desktop/sweetalert/node_modules/gulp-cli

> fsevents@1.2.4 install /Users/giovannirivera/Desktop/sweetalert/
node_modules/fsevents
> node install

[fsevents] Success: "/Users/giovannirivera/Desktop/sweetalert/
node_modules/fsevents/lib/binding/Release/node-v64-darwin-x64/
fse.node" already installed
Pass --update-binary to reinstall or --build-from-source to recompile

> node-sass@4.10.0 install /Users/giovannirivera/Desktop/sweetalert/
node_modules/node-sass
> node scripts/install.js

Downloading binary from https://github.com/sass/node-sass/releases/
download/v4.10.0/darwin-x64-64_binding.node
Download complete) :
Binary saved to /Users/giovannirivera/Desktop/sweetalert/node_modules/
node-sass/vendor/darwin-x64-64/binding.node
Caching binary to /Users/giovannirivera/.npm/node-sass/4.10.0/darwin-
x64-64_binding.node

> gifsicle@3.0.4 postinstall /Users/giovannirivera/Desktop/sweetalert/
node_modules/gifsicle
> node lib/install.js

  ✓ gifsicle pre-build test passed successfully

> jpegtran-bin@3.2.0 postinstall /Users/giovannirivera/Desktop/
sweetalert/node_modules/jpegtran-bin
> node lib/install.js

  ✓ jpegtran pre-build test passed successfully

> optipng-bin@3.1.4 postinstall /Users/giovannirivera/Desktop/
sweetalert/node_modules/optipng-bin
> node lib/install.js

  ✓ optipng pre-build test passed successfully

> node-sass@4.10.0 postinstall /Users/giovannirivera/Desktop/
sweetalert/node_modules/node-sass
> node scripts/build.js
```

```
Binary found at /Users/giovannirivera/Desktop/sweetalert/node_modules/  
node-sass/vendor/darwin-x64-64/binding.node
```

```
Testing binary
```

```
Binary is fine
```

```
+ har-validator@5.1.3
```

```
added 1350 packages from 866 contributors, removed 7710 packages,  
updated 19 packages, moved 2 packages and audited 30918 packages in  
49.307s
```

```
found 44 vulnerabilities (19 low, 13 moderate, 12 high)
```

```
run `npm audit fix` to fix them, or `npm audit` for details
```

```
giorivMbookpPro:sweetalert giovannirivera$ npm install --save-dev  
sweetalert2
```

```
+ sweetalert2@8.8.5
```

```
added 1 package from 7 contributors and audited 30919 packages in  
7.301s
```

```
found 44 vulnerabilities (19 low, 13 moderate, 12 high)
```

```
run `npm audit fix` to fix them, or `npm audit` for details
```

```
giorivMbookpPro:sweetalert giovannirivera$ npm audit fix
```

```
> fsevents@1.2.7 install /Users/giovannirivera/Desktop/sweetalert/  
node_modules/fsevents
```

```
> node install
```

```
node-pre-gyp WARN Using request for node-pre-gyp https download  
[fsevents] Success: "/Users/giovannirivera/Desktop/sweetalert/  
node_modules/fsevents/lib/binding/Release/node-v64-darwin-x64/  
fse.node" is installed via remote
```

```
> node-sass@4.11.0 install /Users/giovannirivera/Desktop/sweetalert/  
node_modules/node-sass
```

```
> node scripts/install.js
```

```
Cached binary found at /Users/giovannirivera/.npm/node-sass/4.11.0/  
darwin-x64-64_binding.node
```

```
> node-sass@4.11.0 postinstall /Users/giovannirivera/Desktop/  
sweetalert/node_modules/node-sass
```

```
> node scripts/build.js
```

```
Binary found at /Users/giovannirivera/Desktop/sweetalert/node_modules/  
node-sass/vendor/darwin-x64-64/binding.node
```

```
Testing binary
```

```
Binary is fine
```

```
+ js-yaml@3.13.1
```

```
removed 1 package and updated 22 packages in 8.849s
```

```
fixed 15 of 44 vulnerabilities in 30919 scanned packages
```

```
6 vulnerabilities required manual review and could not be updated
```

```
1 package update for 23 vulns involved breaking changes
```

```
(use `npm audit fix --force` to install breaking changes; or refer  
to `npm audit` for steps to fix these manually)
```

```
giorivMbookpPro:sweetalert giovannirivera$ npm audit fix --force
npm WARN using --force I sure hope you know what you are doing.
```

```
> gifsicle@4.0.1 postinstall /Users/giovannirivera/Desktop/sweetalert/
node_modules/gifsicle
> node lib/install.js
```

```
✓ gifsicle pre-build test passed successfully
```

```
> jpegtran-bin@4.0.0 postinstall /Users/giovannirivera/Desktop/
sweetalert/node_modules/jpegtran-bin
> node lib/install.js
```

```
✓ jpegtran pre-build test passed successfully
```

```
> optipng-bin@5.1.0 postinstall /Users/giovannirivera/Desktop/
sweetalert/node_modules/optipng-bin
> node lib/install.js
```

```
✓ optipng pre-build test passed successfully
```

```
+ gulp-imagemin@5.0.3
added 79 packages from 44 contributors, removed 158 packages, updated
51 packages and moved 2 packages in 12.266s
fixed 21 of 28 vulnerabilities in 30917 scanned packages
  7 vulnerabilities required manual review and could not be updated
  1 package update for 21 vulns involved breaking changes
  (installed due to `--force` option)
```

```
giorivMbookpPro:sweetalert giovannirivera$ npm install --save-dev
sweetalert2
```

```
+ sweetalert2@8.8.5
updated 1 package and audited 25822 packages in 5.95s
found 7 vulnerabilities (4 low, 2 moderate, 1 high)
  run `npm audit fix` to fix them, or `npm audit` for details
giorivMbookpPro:sweetalert giovannirivera$
```